SHINSUNG VINA CO., LTD
LOT CN 04, CAM KHE INDUSTRIAL PARK, CAM KHE TOWN, CAM KHE DISTRICT, PHU THO PROVINCE, VIET NAM

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description	:	PP YARN 550D/90F
Sample Color	:	(A)NATURAL WHITE
Composition	:	(A)POLYPROPYLENE
End Use	:	(A)NARROW WOVEN FABRIC
Other Info.	:	/
Sample Receiving Date	:	Apr 17, 2024
Testing Period	:	Apr 17, 2024 - Apr 23, 2024
Test Result(s)	:	Unless otherwise stated the results shown in this test report refer only to the sample(s) tested, for further details, please refer to the following page(s).
Test Performed	:	Selected test(s) as requested by applicant

This document is issued by the Company under its General Conditions of Service accessible at https://www.sgs.com/en-vn/terms-and-conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Conclusion	**A**	**Remark**
Tensile Properties of Single Yarn	See Results	

Signed for and on behalf of
SGS Vietnam LTD



Rhodora Quinto (Softlines Lab Manager)

This document is issued by the Company under its General Conditions of Service accessible at https://www.sgs.com/en-vn/terms-and-conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Test Result

Tensile Properties of Single Yarn

(ASTM D2256/D2256M-21;Configuration:A)

-	Unit	A	Requirement
Breaking Force	kgf	4.0	Show data
Elongation at Break	%	20.3	Show data

Remark: Above test is accredited ISO 17025: 2017 by VILAS.

Sample Photo



SL02240400353101TX

Report results refer to submitted sample (s) only

*** End of Report ***

This document is issued by the Company under its General Conditions of Service accessible at https://www.sgs.com/en-vn/terms-and-conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.